

Alloy Machined Side-Eject Tine - .375MT x 3.500L x .330OD R800650





Details

Alloy Machined Side-Eject tines remove a soil core which quickly exits the side of the tine through a precision machined slot. This slot is designed to avoid "plugging" that can occur using hollow tubular tines (especially the smaller diameters) in heavy soil conditions. R&R manufactures a wide selection of these side-eject tines machined from special highcarbon alloy steel solid bar and heat treated to RC45-48 in our own heat treating facility. Very popular for the multiple tine holders which fit all greens aerators.

Replaces

R&R Products

RMT2971

DOD Droducto

Specifications Manufacturer

Manufacturer	R&R Products
A - Tine Type	Alloy Machined Side-
	Eject
B - Tine Mounting	.375 in (9.5mm)
Dia.	
C - Tine Length	3.5 in (89mm)
D - Tine Tip Outside	.330 in (8.4mm)
(Hole) Dia.	
E - Tine Tip Inside	.200 in (5mm)
(Core) Dia.	
F - Tine Wall	.062 in (1.6mm)
Thickness	

Fits Models

Greencare CoreMaster John Deere Aercore 1000 John Deere Aercore 1500 John Deere Aercore 2000

Complete Turf Equipment Ltd.

4331 Oil Heritage Road Petrolia, NON 1R0 519-882-2008 https://completeturf.rrproducts.com/





John Deere Aercore 800 Toro Greens Aerator

Complete Turf Equipment Ltd. 4331 Oil Heritage Road Petrolia, NON 1R0 519-882-2008 https://completeturf.rrproducts.com/